

1410 North Hilton • Boise, Idaho 83706-1255 • (208) 373-0502 September 4, 2002 Dirk Kempthorne, Governor C. Stephen Allred, Director

CERTIFIED MAIL NO. 7000 1670 0013 9128 7819

Burl Ackerman Environmental Manager J. R. Simplot P. O. Box 9069 Nampa, ID 83652

RE:

AIRS Facility No. 027-00059, J. R. Simplot, Nampa Potato Plant

Final Tier II Operating Permit and Permit to Construct

Dear Mr. Ackerman:

The Department of Environmental Quality (Department) is issuing Tier II Operating Permit and Permit to Construct No. 027-00059 for the J. R. Simplot facility in Nampa in accordance with *Rules for the Control of Air Pollution in Idaho*, IDAPA 58.01.01.400 through 470 and 58.01.01.200-228, respectively.

The enclosed permit is based on the information contained in your permit application and the relevant comments received during the public comment period. This permit is effective immediately. Modification to and/or renewal of this permit shall be requested in a timely manner in accordance with the *Rules*.

Matt Stoll of the Boise Regional Office will contact you regarding a meeting with the Department to discuss the permit terms and requirements. In addition to your facility's plant manager, the Department recommends the following representatives attend the meeting: your responsible official, environmental contact, and any operations staff responsible for day-to-day compliance with the permit conditions.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to IDAPA 58.01.23, Rules of Administrative Procedure Before the Board of Environmental Quality. A petition may be filed with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 83706-1255, within 35 days of the date of this decision. However, prior to filing a petition for a contested case, the Department encourages you to contact Mike Simon at (208) 373-0502 to discuss any concerns you may have with the enclosed permit.

Sincerely

Katherine B. Well Administrator

Air Quality Division

KK/KB/tk Project No: T2-010032

G:\AIR QUALITY\STATIONARY SOURCE\SS LTD\T2\JR SIMPLOT NAMPA\FINAL PREP\T2-010032 PERMIT.DOC

Enclosure

CC;

Joan Lechtenberg, Air Quality Division Kent Berry, EQM Laurie Kral, EPA - Region 10 Matt Stoll, Boise Regional Office



Air Quality TIER II OPERATING PERMIT and **PERMIT TO CONSTRUCT**

State of Idaho Department of Environmental Quality **PERMIT NO: 027-00059**

AQCR: 64

CLASS: SM

SIC:

2037

ZONE: 11

UTM COORDINATE (km):

531.7 . 4828.8

1. PERMITTEE

J. R. Simplot - Food Group

2. PROJECT

Tier II Operating Permit and Permit to Construct

3. MAILING ADDRESS P. O. Box 9069	CITY Nampa	STATE ID	ZIP 83652
FACILITY CONTACT Burl Ackerman	TITLE Environmental Manager	TELEPHONE 208-442-4048	
5. RESPONSIBLE OFFICIAL Dale Baker	TITLE Unit Director	TELEPHONE 208-466-8911	
6. EXACT PLANT LOCATION 3704 North Middleton Road		COUNTY Canyon	

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS

Frozen Potato Processor

8. PERMIT AUTHORITY

This permit is issued according to the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.400-470, and IDAPA 58,01,01,200-228. This permit pertains only to emissions of air contaminants, which are regulated by the state of Idaho and to the sources specifically allowed to be operated by this permit.

This permit is not transferable to another person, place, or piece or set of equipment. This permit will expire if construction has not yet begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented in the application and the Idaho Department of Environmental Quality's technical analysis of the supplied information. Changes in design or equipment that result in any change in the nature or amount of emissions may be considered a modification. Modifications are subject to Department review in accordance with IDAPA 58.01.01.200 of the Rules for the Control of Air Pollution in Idaho.

KATHERINE B. WELLY, ADMINISTRATOR, AIR QUALITY DIVISION

DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE ISSUED: September 4, 2002

TABLE OF CONTENTS

ACRO)NYMS, UNITS AND CHEMICAL NOMENCLATURE	3
1.	PERMIT SCOPE	4
2.	FACILITY-WIDE CONDITIONS	5
3.	NATURAL GAS COMBUSTION EQUIPMENT	7
4.	PROCESS EQUIPMENT	8
6.	SUMMARY OF EMISSION RATE LIMITS	11
8.	GENERAL PROVISIONS	13

ACRONYMS, UNITS AND CHEMICAL NOMENCLATURE

AIRS Aerometric Information Retrieval Subsystem

AFS AIRS Facility Subsystem
AQCR Air Quality Control Region
CFR Code of Federal Regulations

CO Carbon Monoxide

EPA United States Environmental Protection Agency

gr Grains (1 lb = 7000 grains)

H₂S Hydrogen Sulfide

IDAPA A numbering designation for all administrative rules in Idaho promulgated in accordance with

the Idaho Administrative Procedures Act

km Kilometer
Ib/hr Pound Per Hour
M Thousand
NO_X Nitrogen Oxides

NSPS New Source Performance Standards

PM Particulate Matter

PM₁₀ Particulate Matter with an Aerodynamic Diameter of 10 Micrometers or Less

PTC Permit To Construct

SCFM Standard Cubic Feet Per Minute
SIC Standard Industrial Classification Code

SM Synthetic Minor SO₂ Sulfur Dioxide T/yr Tons Per Year µm Micrometers

UTM Universal Transverse Mercator VOC Volatile Organic Compound

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

1. PERMIT SCOPE

Purpose

1.1 The purpose of this permit is to renew and change the permittee name for Tier II Permit No. 027-00059, issued January 3, 1996, incorporate an existing PTC, and issue a new PTC for the anaerobic digester.

- 1.2 This permit incorporates and replaces the following permits:
 - Tier II No. 027-00059, issued January 3, 1996 to Nestle Brands
 - PTC No. 027-00059, issued December 15, 2000 to J.R. Simplot

Regulated Sources

1.3 Table 1.1 below lists all sources of emissions that are regulated in this permit.

Table 1.1 Regulated Emission Sources

Permit Sections	Source Description	Emission Controls
3	Nebraska MS-E-66 gas-fired boiler, 99.8 MM Btu/hr, installed 2001	Todd-Lo-NO _x Variflame burner
	Cleaver Brooks NS-F-84 gas-fired boiler, 70 MM Btu/hr	None
	Nine gas-fired make up air heaters, < 10 MM Btu/hr each	None
4	Main Line Dryer (gas-fired), National Drying, 1987 Cam, 21 MM Btu/hr	None
	Main Line Fryer, Heat and Control, FF6029-5-I-3F	None
	Specialty Line Dryer/Cooler, Proctor Schwartz, K21761	None
	Specialty Line Fryer, Gem Equipment, 1700	None
5	Anaerobic digester and 4.95 MM Btu/hr Cleaver Brooks boiler, Model 700-350-160	Flare, Varec Model 244W

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

2. FACILITY-WIDE CONDITIONS

2.1 All reasonable precautions shall be taken to prevent particulate matter (PM) from becoming airborne in accordance with IDAPA 58.01.01.650-651.

[IDAPA 58.01.01.650-651, 5/1/94]

Odors

- 2.2 No person shall allow, suffer, cause, or permit the emission of odorous gases, liquids, or solids to the atmosphere in such quantities as to cause air pollution as required in IDAPA 58.01.01.775-7769. [IDAPA 58.01.01.775-7769, 5/1/94]
- 2.3 The permittee shall maintain records of all odor complaints received. If the complaint has merit, the permittee shall take appropriate corrective action as expeditiously as practicable. The records shall, at a minimum, include the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

[IDAPA 58.01.01.211.01]

Visible Emissions

2.4 No person shall discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which has greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, nitrogen oxides, and/or chlorine gas is the only reason(s) for the failure of the emission to comply with the requirements of this section.

IIDAPA 58.01.01.625, 5/1/941

Excess Emissions

2.5 The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions due to startup, shutdown, scheduled maintenance, safety measures, upsets and breakdowns.

[IDAPA 58.01.01.130-136]

Reports and Certifications

Any reporting required by this permit, including, but not limited to, records, monitoring data, supporting information, requests for confidential treatment, testing reports, or compliance certifications, shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete. Any reporting required by this permit shall be submitted to the following address:

Air Quality Permit Compliance Department of Environmental Quality Boise Regional Office 1445 N. Orchard Boise, Idaho 83706-2239

[IDAPA 58.01.01.405.01, 5/1/94]

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

Open Burning

2.7 The permittee shall comply with the requirements of IDAPA 58.01.01.600-616, *Rules for Control of Open Burning*.

[IDAPA 58.01.01.600-616, 5/1/94]

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

3. NATURAL GAS COMBUSTION EQUIPMENT

3.1 Process Description

The primary purpose of the Nebraska and Cleaver Brooks boilers is generating process steam. The air makeup heaters provide space heat for the plant.

3.2 Control Description

Emissions from the natural gas combustion sources are uncontrolled.

Emission Limits

3.3 Particulate Matter Emissions

The permittee shall not discharge to the atmosphere from any fuel-burning equipment particulate matter in excess of 0.015 gr/dscf of effluent gas corrected to 3% oxygen by volume for gas.

[IDAPA 58.01.01.676-677, 5/1/94]

3.4 Emissions Limits

Emissions of PM, PM₁₀, NO_x, and CO from the natural gas combustion equipment shall not exceed any corresponding emissions rate limits listed in the following table.

[IDAPA 58.01.01.405, 5/1/94; PTC No. 027-00059, 12/15/00]

Table 3.1 Natural Gas Combustion Equipment Emissions Limits

Source Description	PM/PM ₁₀		NO _x		CO		
	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	
Cleaver Brooks boiler	0.5	2.25	6.8	29.7	5.7	24.9	
Nebraska boiler	0.7	3.21	4.3	18.8	8.1	35.5	
Air make-up units			3.6	15.8			

Operating Requirements

3.5 Fuel

The permittee shall combust natural gas exclusively in the Nebraska and Cleaver Brooks boilers..

[IDAPA 58.01.01.405, 5/1/94]

Monitoring and Recordkeeping

3.6 NSPS Fuel Consumption

The permittee shall monitor and record the amount of natural gas burned in the Nebraska boiler on a daily basis.

[40 CFR 60.48c(g)]

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

4. PROCESS EQUIPMENT

4.1 Process Description

The processes covered by this section of this permit are the main line and the specialty line. The air pollutant-emitting operations are the drying and frying of potatoes.

4.2 Control Description

These operations are uncontrolled.

Emission Limits

4.3 Emission Limits

Emissions from the process equipment shall not exceed the following emission rates:

 $PM/PM_{10} - 70.9 \text{ T/yr}$; $NO_x - 8.9 \text{ T/yr}$; and VOC-55 T/yr.

[IDAPA 58.01.01.405, 5/1/94]

Permittee: Location:

J. R. Simplot - Food Group

Date Issued: Nampa, Idaho

Date Expires:

September 4, 2002

5. ANAEROBIC DIGESTION EQUIPMENT

Process Description 5.1

The primary purpose of the emissions unit is to burn the offgases, which contain H₂S, released from anaerobic digesters that treat wastewater from the potato processing operations. The offgases are burned in a boiler and/or a flare.

Control Description 5.2

Emissions from the offgas combustion are uncontrolled.

Emission Limits

5.3 **Emission Limits**

The SO₂ emissions from combustion of offgases from the anaerobic digester boiler and flare shall not exceed 26.9 T/yr in any consecutive 12-month period.

[IDAPD 58.01.01.211.01, 5/1/94]

Operating Requirements

Pilot Flame and Alarm System on Flare 5.4

The flare shall be operated with a pilot flame present during the operation of the compressors. The permittee shall install an alarm system on the flare to notify operating personnel in case of a flare flame-out. The flare shall be reignited as expeditiously as practicable. The permittee shall maintain records of the time and duration of all flame-out periods onsite for a period of 5 years.

[IDAPA 58.01.01.211.01, 5/1/94]

Monitoring and Recordkeeping Requirements

5.5 Biogas Flow and H2S Concentrations Monitoring

The permittee shall install, calibrate, and operate a biogas flow meter and an H2S gas monitor that shall be placed after the outlet of the anaerobic digester.

The permittee shall monitor and record the biogas flow and the H₂S concentrations in weekly basis. The most recent five years' compilation of data shall be kept onsite and shall be made available to Department representatives upon request.

The permittee shall use the biogas flow rate and the H₂S concentrations results to calculate the annual SO₂ emissions from the biogas flares. This information shall be maintained onsite at all times and shall be made available to Department representatives upon request.

[IDAPA 58.01.01.211.01, 5/1/94]

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

Reporting Requirements

5.6 Flame-outs and Odor Complaints

The permittee shall submit semi-annual reports to the Department by January 15 and July 15 of each year summarizing the occurrences of flare flame-outs and odor complaints and corrective actions taken during the period.

[IDAPA 58.01.01.211.01]

Permittee: Location: J. R. Simplot - Food Group

Nampa, Idaho

Date Issued:

September 4, 2002

Date Expires:

6. SUMMARY OF EMISSION RATE LIMITS

The following table provides a summary of all emission rate limits required by this permit.

Table 6.1 SUMMARY OF ALL EMISSION RATE LIMITS

Source Description	PM ₁₀ ^E		NO.		nr), and Annual ^s (T/yr) CO		Vog		so ₂	
	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	Tiye	lb/hr	Tiyr
Cleaver Brooks boiler	0.5	2.25	6.8	29.7	5.7	24.9			,	
Nebraska boiler	0.7	3.21	4.3	18.8	8.1	35.5				
Air make-up units			3.6	15.8						
Process equipment		70.9		8.9				55.0		
Anaerobic digestion equipment										26.9

^{*}As determined by a pollutant-specific EPA reference method, a Department-approved alternative, or as determined by the Department's emissions estimation methods used in this permit analysis.

^bAs determined by multiplying the actual or allowable (if actual is not available) pound per hour emission rate by the allowable hours per year that the process(es) may operate(s), or by actual annual production rates.

fincludes condensibles.

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

7. FACILITY-WIDE EMISSIONS INVENTORY

The following table provides a summary of the emissions inventory of the facility based on potential to emit. The emissions inventory table is provided for informational purposes only.

Table 7.1 Emission Inventory Based on PTE

J.R. Simplot – Food Group – Nampa Potential Emissions [*] Annual (7/yr)								
Source Description	PM ₁₀	NO _x	ce	yoe	SO ₂			
	Tlyr	Tlyr	<i>Tly</i> r	Thyr	T/yr			
Cleaver Brooks boiler	2.25	29.7	24.9	1.63	0.18			
Nebraska boiler	3.21	18.8	35.5	2.33	0.25			
Air make-up units	1.20	15.8	13.2	0.9	0.09			
Process equipment	70.9	8.9	7.47	55.0	0.05			
Anaerobic digester flare and boiler	0.24	3.14	2.63	0.16	26.9			
Total	77.8	76.3	83.7	60.0	27.5			

^aAs determined by a pollutant-specific EPA reference method, a Department-approved alternative, or as determined by the Department's emissions estimation methods used in this permit analysis.

Permittee:

J. R. Simplot - Food Group

Date Issued:

September 4, 2002

Location:

Nampa, Idaho

Date Expires:

8. GENERAL PROVISIONS

1. All emissions authorized herein shall be consistent with the terms and conditions of this permit. The emission of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code 39-101 et seq.

- 2. The permittee shall at all times (except as provided in the Rules for the Control of Air Pollution in Idaho) maintain and operate in good working order all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable laws for the control of air pollution.
- The permittee shall allow the Director, and/or his authorized representative(s), upon the presentation of credentials:
 - To enter upon the permittee's premises where an emissions source is located, or in which any
 records are required to be kept under the terms and conditions of this permit; and
 - At reasonable times, to have access to and copy any records required to be kept under the terms
 and conditions of this permit, to inspect any monitoring methods required in this permit, and to
 require stack emissions testing (i.e., performance tests) in conformance with state-approved or
 accepted EPA procedures when deemed appropriate by the Director.
- 4. Except for data determined to be confidential under Section 9-342A Idaho Code, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the appropriate regional office of the Department of Environmental Quality.
- 5. Nothing in this permit is intended to relieve or exempt the permittee from compliance with any applicable federal, state, or local law or regulation, except as specifically provided herein.
- 6. In the event of any change in control or ownership of source(s) from which the authorized emissions emanate, the permittee shall notify the succeeding owner or controller of the existence of this permit by letter; a copy of which shall be forwarded to the Director.
- 7. This permit shall be renewable on the expiration date, provided the permittee submits any and all information necessary for the Director to determine the amount and type of air pollutants emitted from the equipment for which this permit is granted. Failure to submit such information within 60 days after receipt of the Director's request shall cause the permit to become void.
- 8. The Director may require the permittee to develop a list of operation and maintenance procedures to be approved by the Department. Such list of procedures shall become a part of this permit by reference, and the permittee shall adhere to all of the operation and maintenance procedures contained therein.
- 9. The provisions of this permit are severable; and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.